




Newport II™, Avanti® Entry Door Systems


REPLACEMENT PARTS CATALOG



Single Door	2
Double Door	4
P+L (Panel + Lite) Door	6
P+L Door with Operable Sidelite	8
Door Styles	10
Unit Sizes, Sidelites	Back Cover

Notice: The replacement parts shown herein are for the Peachtree Newport II™ and Avanti® Entry Door Systems. A Newport II entry door panel can be identified by its wood-grained, fiberglass interior/exterior surfaces; an Avanti door has smooth steel surfaces. Both Newport II and Avanti door panels use common Peachtree entry frame system components. When ordering replacement door glass, please determine existing glass manufacture date from manufacture date label inside insulated glass before discarding.

Single Door




Swing-in configuration shown.
*Swing-Out similar, see chart at right.


*Swing-Out threshold DOES NOT adjust vertically.

See page 10-11 to
determine your door style.

See back cover to
determine your door size.



Right Hand Swing-In
(RHSI) shown
(LHSI opposite)



Left Hand Swing-Out
(LHSO) shown
(RHSO opposite)

UNITS VIEWED FROM OUTSIDE

	Part Description	Part Number	Comments
1	Strike Reinforcing Plate (see Notes for dust box)	98540991	
2	Deadbolt Strike Plate Kit (see Notes for filler plate)	38520376	Bright Brass finish; kit includes Deadbolt Strike Plate
3	Strike Plate Kit	38520405	Bright Brass finish; kit includes Strike Plate
4	Strike Plate Screw	See Notes	#8 x 3/4" Flat Head Phillips Self-Tapping, Brass Plated
5	Swing-in Hinge Kit	98540731	US-4 Brass finish; kit includes one pair of hinges with screws
5	Swing-out Hinge Kit	98540790	Primed finish; kit includes one set of hinges with screws
6	Hinge Screw	98544003	#12 x 1" #10 Flat Head Phillips Self-Tapping*

	Part Description	Part Number	Comments
7	6'8 Jamb Weatherstrip	98540341	Black C-fold type
7	8'0 Jamb Weatherstrip	36030460	Black C-fold type
8	2'6 Head Weatherstrip	98540311	Black C-fold type; cut to length
8	2'8 Head Weatherstrip	98540311	Black C-fold type
8	3'0 Head Weatherstrip	98540321	Black C-fold type
9	2'6 Swing-in Adjustable Oak Threshold Kit	98534912	Kit includes Threshold with adjustment studs
9	2'8 Swing-in Adjustable Oak Threshold Kit	98534922	Kit includes Threshold with adjustment studs
9	3'0 Swing-in Adjustable Oak Threshold Kit	98534932	Kit includes Threshold with adjustment studs
9	3'8 Swing-in Adjustable Oak Threshold Kit	98534735	Kit includes Threshold with adjustment studs
9	2'6 Swing-out Oak Threshold Kit	98534714	Kit includes Threshold
9	2'8 Swing-out Oak Threshold Kit	98534724	Kit includes Threshold
9	3'0 Swing-out Oak Threshold Kit	98534732	Kit includes Threshold
9	3'8 Swing-out Oak Threshold Kit	98534934	Kit includes Threshold
10	Threshold Aluminum Cap	37400550	
11	Adjustable Steel Stud	38520620	
12	Nut Insert	37401030	

- NOTES:**
- See back cover to determine your unit size.
 - Dust Box- part no. 38520375
 - Peachtree ID Filler Plate- part no. 38520377 (fills deadbolt strike bore when not used).
 - Standard size/type screws can be purchased from your local hardware store.
 - Bottom Rubber Sweep Replacement Kit- 2'6 wide panel 98540361 (cut to length)
(requires panel removal) 2'8 98540361
3'0 98540371
3'8 98540381

*Top and bottom hinge locations use (2) #10 x 2-12" Flat Head Phillips screws to engage framing; this screw also used at both strike reinforcement locations.

SWING-OUT UNITS:

- Swing-out Panel Bottom Closure- 2'6 wide panel 98535112
(use with Bottom Rubber Sweep) 2'8 98535123
3'0 98535132
3'8 98535142
- Swing-out Brickmould Strike Plate- part no. 98540614
- Swing-out Hinges (1-1/2 pair w/screws) solid brass 98540777
primed finish 98540790

GLASS TYPES: Check the glass identification label on the spacer between glass surfaces to determine your glass type.

IF YOU ARE UNSURE OF THE TYPE OF GLASS IN YOUR WINDOW, OR IF THE GLASS IDENTIFICATION LABEL IS FOR A TYPE NOT LISTED, PLEASE CONTACT YOUR LOCAL AUTHORIZED PEACHTREE DEALER TO DETERMINE YOUR GLASS TYPE.


- B = Twinsul Clear, Tempered
- BE = Clear Tempered Low-E Glass
- D = Twinsul Bronze Tint Tempered
- DE = Bronze Tempered Low-E Glass

To order replacement parts, contact your local Peachtree Dealer or call 1-800-PEACH99.


Double Door

See page 10-11 to determine your door style.


See back cover to determine your door size.



Swing-in configuration shown. Swing-out similar, see chart at right.



Right Active Swing-In (RASI) shown (LASI opposite) (P) Passive and (A) Active



Left Active Swing-Out (LASO) shown (RASO opposite) (P) Passive and (A) Active

UNITS VIEWED FROM OUTSIDE

Double Door

Part Description		Part Number	Comments
1	Swing-in Hinge Kit	98540731	US-4 Brass finish; kit includes one pair of hinges with screws
1	Swing-out Hinge Kit	98540790	Primed finish; kit includes one set of hinges with screws
2	Hinge Screw	98544003	#12 x 1" #10 Flat Head Phillips Self-Tapping*
3	Head Strike Plate Kit	38520388	Bright Brass finish; kit includes Head Strike Plate
4	Head Strike Plate Screw	See Notes	#8 x 3/4" Flat Head Phillips Self-Tapping, Brass Plated
5	Astragal Head Bolt Guide Kit	38520094	Kit includes Head Bolt Guide
6	Astragal Head and Foot Bolt Guide Screw	See Notes	#8 x 2" Flat Head Phillips Self-Tapping
7	Astragal Foot Bolt Guide Kit	38520092	Kit includes Foot Bolt Guide
8	Astragal Bolt Lever Kit	38520093	Kit includes Bolt Lever
9	Astragal Bolt Lever Screw	See Notes	#8 x 3/4" Flat Head Phillips Self-Tapping
10	Astragal Attachment Screw	See Notes	#8 x 2" Flat Head Phillips Self-Tapping
11	Astragal Strike Reinforcing Plate	38520388	
12	Deadbolt Strike Plate Kit	38520376	Bright Brass finish; kit includes Deadbolt Strike Plate
13	Strike Plate Kit	38520405	Bright Brass finish; Kit includes Strike Plate and screws
14	Strike Plate Screw	See Notes	#8 x 3/4" Flat Head Phillips Self-Tapping, Brass Plated

Part Description		Part Number	Comments
15	6'8 Jamb Weatherstrip	98540341	Black C-fold type
15	8'0 Jamb Weatherstrip	36030460	Black C-fold type
16	5'0 Head Weatherstrip	36030331	Black C-fold type; cut to length
16	5'4 Head Weatherstrip	36030331	Black C-fold type; cut to length
16	6'0 Head Weatherstrip	36030331	Black C-fold type
17	6'8 Astragal Weatherstrip	06080100	Black C-fold type
17	8'0 Astragal Weatherstrip	06080110	Black C-fold type
18	6'8 Astragal Head and 6'8/8'0 Foot Bolt	38520091	
19	8'0 Astragal Head Bolt	38520091	
20	5'0 Swing-in Adjustable Oak Threshold Kit	98534952	Kit includes Threshold with adjustment studs
20	5'4 Swing-in Adjustable Oak Threshold Kit	98534962	Kit includes Threshold with adjustment studs
20	6'0 Swing-in Adjustable Oak Threshold Kit	98534972	Kit includes Threshold with adjustment studs
20	5'0 Swing-out Oak Threshold Kit	98534754	Kit includes Threshold
20	5'4 Swing-out Oak Threshold Kit	98534764	Kit includes Threshold
20	6'0 Swing-out Oak Threshold Kit	98534774	Kit includes Threshold
21	Threshold Aluminum Cap	37400550	
	Adjustable Steel Stud	38520620	See Page 2, Section "B-B".
	Nut Insert	37401030	

- NOTES:**
- See back cover to determine your unit size.
 - Dust Box- part no. 38520375
 - Peachtree ID Filler Plate- part no. 38520377 (fills deadbolt strike bore when not used).
 - Standard size/type screws can be purchased from your local hardware store.
 - Bottom Rubber Sweep Replacement Kit-

2'6 wide panel	98540361 (cut to length)
2'8	98540361
3'0	98540371
3'8	98540381

 (requires panel removal)

*Top and bottom hinge locations use (2) #10 x 2-12" Flat Head Phillips screws to engage framing; this screw also used at both strike reinforcement locations engaging astragal to passive panel.

SWING-OUT UNITS:

- Swing-in Panel Bottom Closure-

5'4 wide unit	98535162
(use with Bottom Rubber Sweep)	6'0 98535172
- Swing-in Hinges (1-1/2 pair w/screws)

solid brass	98540777
primed finish	98540790

GLASS TYPES: Check the glass identification label on the spacer between glass surfaces to determine your glass type.

IF YOU ARE UNSURE OF THE TYPE OF GLASS IN YOUR WINDOW, OR IF THE GLASS IDENTIFICATION LABEL IS FOR A TYPE NOT LISTED, PLEASE CONTACT YOUR LOCAL AUTHORIZED PEACHTREE DEALER TO DETERMINE YOUR GLASS TYPE.



- | | |
|----------------------------------|----------------------------------|
| B = Twinsul Clear, Tempered | BE = Clear Tempered Low-E Glass |
| D = Twinsul Bronze Tint Tempered | DE = Bronze Tempered Low-E Glass |

To order replacement parts, contact your local Peachtree Dealer or call 1-800-PEACH99.


P+L (Panel + Lite) Door

See page 10-11 to determine your door style.


See back cover to determine your door size.



Swing-in configuration shown.
Swing-out available in
5'2/5'4 (2-sidelite) configurations only.



Left/Right Hand Swing-In
(L/RHSI) shown
(R/LHSI opposite)



Right Hand Swing-In
(T/RHSI) shown
(T/LHSI opposite)
Note: 5'0/5'2 widths available
in Swing-Out configuration.

UNITS VIEWED FROM OUTSIDE

P+L (Panel + Lite) Door

Part Description		Part Number	Comments
1	Strike Reinforcing Plate	98540991	
2	Deadbolt Strike Plate Kit	38520376	Bright Brass finish; kit includes Deadbolt Strike Plate
3	Strike Plate Kit	38520405	Bright Brass finish; Kit includes Strike Plate
4	Strike Plate Screw	See Notes	#8 x 3/4" Flat Head Phillips Self-Tapping, Brass Plated
5	Swing-in Hinge Kit	98540731	US-4 Brass finish; kit includes one pair of hinges
6	Hinge Screw	98544003	#12 x 1" #10 Flat Head Phillips Self-Tapping*

Part Description		Part Number	Comments
7	6'8 Jamb Weatherstrip	98540341	Black C-fold type
8	3'0 Head Weatherstrip	98540321	Black C-fold type
9	3'0 Swing-in Adjustable Oak Threshold Kit	98534932	Kit includes Threshold with adjustment studs
10	Threshold Aluminum Cap	37400550	
11	Adjustable Steel Stud	38520620	See Page 2, Section "B-B".
12	Nut Insert	37401030	

NOTES: - See back cover to determine your unit size.

- Dust Box— part no. 38520375

- Peachtree ID Filler Plate— part no. 38520377 (fills deadbolt strike bore when not used).

- Standard size/type screws can be purchased from your local hardware store.

- Bottom Rubber Sweep Replacement Kit— 3'0 wide panel 98540371
(requires panel removal)

*Top and bottom hinge locations use (2) #10 x 2-12" Flat Head Phillips screws to engage framing or mullion to sidelite;
this screw also used at both strike reinforcement locations.

SWING-OUT UNITS:

- Swing-out Panel Bottom Closure— 3'0 wide panel 98535132
(use with Bottom Rubber Sweep)

- Swing-out Hinges (1-1/2 pair w/screws) solid brass 98540777
primed finish 98540790

GLASS TYPES: Check the glass identification label on the spacer between glass surfaces to determine your glass type.

IF YOU ARE UNSURE OF THE TYPE OF GLASS IN YOUR WINDOW, OR IF THE GLASS IDENTIFICATION LABEL IS FOR A TYPE NOT LISTED, PLEASE CONTACT YOUR LOCAL AUTHORIZED PEACHTREE DEALER TO DETERMINE YOUR GLASS TYPE.

B = Twinsul Clear, Tempered

BE = Clear Tempered Low-E Glass

D = Twinsul Bronze Tint Tempered



DE = Bronze Tempered Low-E Glass

To order replacement parts, contact your local Peachtree Dealer or call 1-800-PEACH99.

P+L Door w/Operable Sidelite


See page 10-11 to determine your door style.

See back cover to determine your door size.




Passive Panel Strike Stile and Astragal

Available as single sidelite, with 2'8 or 3'0 wide panels.
Also, available for 5'0 and 5'4 units.




Right Active Swing-In (RASI) shown (LASI opposite) (P) Passive and (A) Active



Left/Right Active Swing-Out (L/RASO) shown (R/LASO opposite) (P) Passive and (A) Active

UNIT VIEWED FROM OUTSIDE







Door Styles



To order replacement parts, contact your local Peachtree dealer or call 1-800-PEACH99.

PANELS - **Avanti Panels:** galvanized steel with a polyurethane core.
 1-bore, 2-bore and 0-bore panels for lock set available. 2-3/8" and 2-3/4" backsets available.
 Decorative glass units have brass caming (flat brass bar).

Door Styles



N900

PANELS - Newport II Panels: wood-grained fiberglass with a polyurethane core.
1-bore, 2-bore and 0-bore panels for lock set available. 2-3/8" and 2-3/4" backsets available.

To order replacement parts, contact your local Peachtree dealer or call 1-800-PEACH99.

Door Unit Sizes, Sidelites

SINGLE DOOR UNITS				DOUBLE DOOR UNITS			
UNIT WIDTH	31-3/8"	33-3/8"	37-3/8"	62-1/4"	66-1/4"	74-1/4"	
INSIDE WIDTH	30-1/8"	32-1/8"	36-1/8"	61"	65"	73"	
6'8 UNITS UNIT HEIGHT: 81-1/4"							
8'0 UNITS UNIT HEIGHT: 95-1/4"							
P+L DOOR UNITS				w/OPERATING SIDELITE			
UNIT WIDTH	50-3/8"	52-3/8"	52-3/8"	63-3/8"	67-3/8"	46-3/8"	52-3/8"
INSIDE WIDTH	49-1/8"	51-1/8"	51-1/8"	62-1/8"	66-1/8"	45-1/8"	51-1/8"
6'8 UNITS UNIT HEIGHT: 81-1/4"							
	12" 3'0 Swing-In	14" 3'0 Swing-In	10" 3'0 10" Swing-In	12" 3'0 12" Swing-In/Swing-Out	14" 3'0 14" Swing-In/Swing-Out	12" 2'8 Swing-Out	14" 3'0 Swing-Out
Inside width measured on interior of unit from inside of jamb to inside of jamb.							

AVANTI SIDELITES							NEWPORT II SIDELITES																					
S110	S34G	S15N S19N	Acrylic Insert S34V	Acrylic Insert S34W	Decorative Insert S34BB	Decorative Insert S34TAP		N34G	Screened N34TAP	Grooved N34ESP	Decorative N34REG	Decorative N34YY	Decorative N34R	Decorative N34SYM	Decorative N34DYN	Decorative N15N	Decorative N15TAP	Grooved N34ESP	Decorative N34REG	Decorative N34YY	Decorative N34R	Decorative N34SYM	Decorative N34DYN	Grooved N85ESP	Decorative N85V	Screened N86TAP	Grooved N86ESP	
Grooved Insert S34ESP	Decorative Insert S34REG	Decorative Insert S34YY	Decorative Insert S34R	Decorative Insert S34SYM	Decorative Insert S34DYN	Decorative Insert S15TAP S19TAP		Grooved N15ESP	Decorative N15REG	Decorative N15YY	Decorative N15R	Decorative N15SYM	Decorative N15DYN	Grooved N85ESP	Decorative N85V	Screened N86TAP	Grooved N86ESP											
Decorative Insert S15ESP S19ESP	Decorative Insert S15REG S19REG	Decorative Insert S15YY S19YY	Decorative Insert S15R S19R	Decorative Insert S15SYM S19SYM	Decorative Insert S15DYN S19DYN			Decorative N86R	Decorative N86REG	Decorative N86SYM	Decorative N86DYN	Grooved N905ESP	Decorative N905REG	Decorative N34SYM	Decorative N905DYN													

SIDELITES - 12" wide panels used on 3'8, 4'0 and 5'0 P+L units.
 14" wide panels used on 4'2 and 5'4 P+L units.
 S15 sidelites are designed to align with embossed Avanti door panels.
 S19 sidelites are designed to align with A19 (full lite) door panels.



© 1999 Peachtree Doors and Windows, Inc., P.O. Box 5700, Norcross, GA 30091
 Newport II is a trademark and Avanti is a registered trademark of Peachtree Doors and Windows, Inc. We reserve the right to make changes in design, materials and specifications as well as to discontinue products without notice.
www.peach99.com